









































DALI DALI-2						
Part No.	Product information	Unit Price(USD)			Picture	Gross weight/pcs Quantity per CTN CTN size:38x28x27cm
		Sample	MOQ	MOQ-99pcs		
DALI DALI-2 Master						
SR-2300-USB	PC software configuration DALI master, 1) Supports DT6, DT8 Tc, DT8 XY, DT8 RGBWAF device types 2) Supports addressing, grouping and scene configuration for max 64 control gears 3) Built-in 100mA DALI PS, no extra wiring required 4) Easy connect to a Windows PC through USB interface 5) Supports DALI dimmers,input devices	\$184.00	10pcs	\$164.40		150g/Pcs 70Pcs/CTN
DALI IoT Wireless Gateway						
SR-GW-TDA	1) Supports DT6, DT8 Tc, DT8 XY, DT8 RGBWAF device types 2) Built-in 250mA DALI PS, no extra wiring required 3) Supports addressing, grouping and scene configuration for max 64 control gears 4) Easy connect to a network through Ethernet connection 5) Built-in battery, built-in RTC, supports timer task configuration 6) Supports multi-schedule configuration	\$290.00	10pcs	\$240.00		150g/Pcs 70Pcs/CTN
KNX to DALI Gateway						
SR-KNX9100/DA2-2CH	KNX to DALI Gateway with 2CH DALI outputs 1) Supports DT6, DT8 Tc, DT8 XY, DT8 RGBWAF device types 2) Built-in 250mA DALI PS, no extra wiring required 3) Supports addressing, grouping and scene configuration for max 2CH*64 control gears by PC software	\$290.00	10pcs	\$240.00		150g/Pcs 70Pcs/CTN
DALI Bus Power Supply						
SR-2400PS	(1) 100-240VAC, 16VDC, 100mA output current (3) work with DALI panel or DALI module from Sunricher or compatible with brand DALI	\$56.00	10Pcs	\$49.00		80g/Pcs 200Pcs/CTN
SR-2400P	(1) 100-240VAC, 16VDC, 250mA output current (2) DIN version (3) work with DALI panel or DALI module from Sunricher or compatible with brand DALI	\$73.20	10pcs	\$64.05		200g/pcs 46pcs /CTN
SR-2400PEA	(1) 100-240VAC, 16VDC, 250mA output current (2) screw version (3) work with DALI panel or DALI module from Sunricher or compatible with brand DALI	\$73.20	10pcs	\$64.05		170g/pcs 56pcs /CTN
DALI Signal Amplifier						
SR-2400AMP	(1) 100-240VAC, 16VDC, 150mA output current (2) DALI Signal repeater (3) 200ma max	\$79.36	10pcs	\$68.54		240g/pcs 56pcs /CTN
DALI Broadcast Interface						















SR-2400BRC	(1) 100-240VAC, 16VDC, 150mA output current (2) Can be addressed by DALI master, and broadcast to DT6 DALI control gears	\$79.36	10pcs	\$68.54		240g/pcs 56pcs /CTN
DALI DT6 DC-DC Dimming Module						
SR-2303P(4 IN 1)	(1) 12-36VDC input, 1ch*20A or 2ch*10A output, constant voltage (2) phase-cut triac +0/1-10V+DALI+Push dim (3) 4 in 1 led dimmer	\$45.52	20pcs	\$41.00		170g/pcs. 70pcs / CTN
SR-2303S	(1) 12-36VDC, constant voltage (2) 1ch , 1 address, 8A , 12V@96W, 24V@192W, 36V@ 288W	\$35.52	30PCS	\$31.08		90g/pcs 160pcs /CTN
SR-2303(PUSH-DIM)	(1) 12-24VDC, constant voltage (2) 1ch, 1 address, 10A , 120-240W (3) push-DIM function, directly support AC high voltage input push-switch (4) Super slim	\$41.52	10pcs	\$37.08		110g/pcs 100pcs /CTN
SR-2304B	(1) 12-36VDC, constant voltage, with push-dim function (2) 4ch , can set 1-4 addresses, 5A , 12V@240W, 24V@480W, 36V@ 720W	47.52	20pcs	41.58		160g/pcs. 100pcs / CTN
SR-2304NP	(1) 12-36VDC, constant voltage (2) 4ch , can set 1-4 addresses, 5A , 12V@240W, 24V@480W, 36V@ 720W (3) PUSH& PLUG terminal	47.52	20pcs	41.58	 PUSH & PLUG terminal	180g/pcs 80pcs /CTN
SR-2304DIN	(1) 12-36VDC, constant voltage, DIN mounted version, with push-dim function (2) 4ch , can set 1-4 addresses, 5A , 12V@240W, 24V@480W, 36V@ 720W	47.52	20pcs	41.58		150g/pcs 70pcs /CTN
SR-2304BEA	(1) 12-36VDC, constant voltage,with push-dim function (2) 4ch , can set 1-4 addresses, 8A , 12V@384W, 24V@768W, 36V@ 1152W	57.36	20pcs	50.20		210g/pcs 56pcs/CTN
SR-2316B	(1) 12-36VDC, constant current, with push-dim function (2) 4ch , can set 1-4 addresses, 350mA , 12V@16.8W, 24V@33.6W, 36V@50.4W	57.60	20pcs	\$55.00		160g/pcs. 100pcs / CTN
SR-2318B	(1) 12-36VDC, constant current, with push-dim function (2) 4ch , can set 1-4 addresses, 700mA , 12V@33.6W, 24V@67.2W, 36V@100.8W	57.60	20pcs	\$55.00		160g/pcs. 100pcs / CTN
SR-2304B(WP)	(1) 12-36VDC, constant voltage (2) 4ch , can set 1-4 addresses, 5A , 12V@240W, 24V@480W, 36V@ 720W (4) IP67 waterproof	\$64.06	20PCS	\$56.80		430g/pcs 18pcs /CTN
SR-2303FA-OLED	(1) 12-36VDC, constant voltage, (2) 4ch , can set 1-4 addresses, 5A , 12V@240W, 24V@480W, 36V@ 720W (3) with built-in DALI master function (4) 250HZ-30KHz PWM frequency settable	\$66.06	30Pcs	\$58.80		170g/pcs 56pcs /CTN
DALI DT8 DC-DC Dimming Module						
SR-2309S-CCT	(1) DT8 version 2 channels CCT dimmer (2) DC version, 12-36VDC, 2 ch x 5A, constant voltage (3) Overcurrent / overheat protection applied	\$57.06	20pcs	\$49.80		100g/pcs 100pcs /CTN

SR-2309PRO	(1) DT8 version 4 channels dimmer, push dim compatible (2) 6 device types in 1: Tc, RGBWAF, XY, 2*Tc, XY+W (DT6), DT6 (3) DC version, 12-36VDC, 4ch x 5A, constant voltage (4) Overcurrent / Overheat protection	\$62.06	20PCS	\$54.80		200g/pcs 70pcs /CTN
SR-2309PRO-SC	(1) DT8 version 5 channels dimmer, push dim compatible (2) 8 in 1: Tc, RGBWAF, XY, 2*Tc, XY+Tc, RGB+Tc, XY+W (DT6), DT6 (3) DC version, 12-36VDC, 5ch x 5A, constant voltage (4) Overcurrent / Overheat protection	\$62.06	30Pcs	\$54.80		200g/pcs 70pcs /CTN
SR-2309FA-OLED	(1) DALI DT8 dimmer with built-in master function (2) 4 in 1: XY, Tc, RGBWA, XY_Tc, RGB+Tc (3) DC version, 12-36VDC, 4ch x 5A, constant voltage (4) with built-in DALI master function (5) 250HZ-30KHz PWM frequency settable	\$66.06	30Pcs	\$58.80		200g/pcs 70pcs /CTN
DALI Switch, DALI Relay						
SR-2701S	(1) DALI relay module (2) DALI bus powered, MINI size, 1 address be assigned by DALI master (3) Only control ON/OFF	\$46.80	30PCS	\$39.00		80g/Pcs 200Pcs/CTN
SR-2701S-N	(1) DALI relay module + DALI to 0/1-10v (2) DALI bus powered, MINI size, 1 address be assigned by DALI master	\$47.00	30PCS	\$41.00		80g/Pcs 200Pcs/CTN
SR-2701B	(1) 100-240AC (2) DALI switch only	\$53.32	20PCS	\$46.66		200g/pcs. 70pcs / CTN
SR-2702B	(1) 12-36VDC (2) DALI switch only	\$57.12	20PCS	\$49.98		200g/pcs. 70pcs / CTN
DALI AC-AC Phase Cut Triac Dimmer						
SR-2303AC	(1) 100-240VAC, 2CH, 1.2A, 240W-576W (2) To dim and switch single color dimmable LED lamps, traditional incandescent and halogen lights (3) Min. brightness settable (4) Trialing edge dimming (5) 5 years warranty	\$40.60	20pcs	\$39.00		200g/pcs 56pcs /CTN
SR-2303SAC-HP	single channel DALI to triac dimmer to control 400W traditional incandescent and Halogen lights	42.00	20pcs	33.00		90g/pcs 200pcs /CTN
SR-2303AC-4CH-DIN	4CH DALI to Triac Din-rail 4x1.5A 1600W at 220V can have 4 DALI address and control RGBW separately	\$90.00	10pcs	\$86.80		580g/pcs 20pcs /CTN
DALI Sensor Scene Module						
SR-2412-Scenes	DALI scene controller module (1) powered by DALI bus / DALI signal output (2) Control up to 16 scenes (3) control up to 16 groups (4) with 16 different time delays (5) enable to connect with different	\$60.40	10pcs	\$52.80		80g/pcs 200pcs /CTN
RF Wireless to DALI Module						
SR-2411-RF-DIM	RF remote to DALI, DALI bus powered, RF wireless to DALI unit, controlled by RF remote from 1009 system, multi zones control	\$63.40	10pcs	\$55.80		80g/Pcs 200Pcs/CTN

SR-2400LC	(1) DALI module with 4 momentary switch for 4 lights (2) powered by DALI bus or DALI power (5) output connect with DALI slave, such as SR-2302B, SR-2303B ect. from Sunricher.	\$59.76	10PCS	\$52.29		90g/pcs 200pcs /CTN
SR-2400GC	(1) DALI module with 4 momentary switch for 4 groups (2) powered by DALI bus or DALI power (5) output connect with DALI slave, such as SR-2302B, SR-2303B ect. from Sunricher.	\$59.76	10pcs	\$52.29		90g/pcs 200pcs /CTN
SR-2400SC	(1) DALI module with 4 momentary switch for 4 scenes (2) powered by DALI bus or DALI power (5) output connect with DALI slave, such as SR-2302B, SR-2303B ect. from Sunricher.	\$59.76	10pcs	\$52.29		90g/pcs 200pcs /CTN
DALI PUSH Button Couple with built-in Bus Power						
SR-2400PD	(1) 100-240VAC, 16VDC, 50mA output current (2) to be used as standalone (independent) system, match push button to use, DALI broadcast mode, to make push button control DALI led drivers.	41.20	20pcs	35.00		80g/Pcs 200Pcs/CTN
DALI DT6 Wall Panel						
SR-2400TL	(1) DALI wall mounted touch switch for 4 address channel control (2) 12-24V DC input (5) output connect with DALI slave	\$60.95	10pcs	\$53.33		220g/pcs 36pcs /CTN
SR-2400TG	(1) DALI wall mounted touch switch for 4 groups control (2) powered by DALI bus or DALI power (5) Output connect with DALI slave	\$60.95	10pcs	\$53.33		220g/pcs 36pcs /CTN
SR-2400TS	(1) DALI wall mounted touch switch for 4 scenes control (2) 12-24V DC input (5) Output connect with DALI slave	\$60.95	10pcs	\$53.33		220g/pcs 36pcs /CTN
SR-2300TS-DIM-EU-AC	(1) DALI wall mounted touch dimmer switch for 4 zones (single color) (2) powered by 100-240VAC (3) 100mA DALI bus built-in (4) output connect with DALI slave	\$60.95	10pcs	\$53.33		220g/pcs 36pcs /CTN
SR-2300TS-DIM-US-AC	(1) DALI wall mounted touch dimmer switch for 4 zones (single color) (2) powered by DALI bus or DALI power (3) EURO size / USA size available (4) output connect with DALI slave	\$60.95	10pcs	\$53.33		300g/pcs 37pcs/CTN
SR-2300TR-DIM-EU-AC	(1) DT6 version wall panel- single color touch panel. 1 group control (2) broadcast+group control (3) powered by 100-240VAC, 100mA DALI bus built-in (4) touch panels, fixed brightness----25%.	\$64.00	10pcs	\$57.00		220g/pcs 36pcs /CTN
SR-2300TR-G4-DIM-EU-AC	(1) DT6 version wall panel- single color touch panel. 4 groups control (2) broadcast+group control (3) powered by 100-240VAC, 100mA DALI bus built-in (4) touch panels, fixed brightness----25%.	\$64.00	10pcs	\$57.00		220g/pcs 36pcs /CTN
SR-2400RL	1. Address Control Single Color DALI DT6 Rotary Dimmer Switch 2. Powered by DALI bus 3. Control 1 DALI address 4. Size: 86x86x41.6mm	\$54.80	10pcs	\$50.60		220g/pcs 36pcs /CTN

SR-2400RL-US	1. Address Control Single Color DALI DT6 Rotary Dimmer Switch 2. Powered by DALI bus 3. Control 1 DALI address 4. Size: 75x120x29.1mm	\$54.80	10pcs	\$50.60		300g/pcs 37pcs/CTN
SR-2410RG-DIM-PL	1. Group Control Single Color DALI DT6 Rotary Dimmer Switch 2. Powered by 100-240VAC 3. 100mA DALI bus built-in 4. Control 1 DALI group 4. Size: 80X80X20.8mm	\$52.80	10pcs	\$48.60		200g/pcs 36pcs/CTN
SR-2410RG-DIM-GL	1. Group Control Single Color DALI DT6 Rotary Dimmer Switch 2. Powered by 100-240VAC 3. 100mA DALI bus built-in 4. Control 1 DALI group 4. Size: 80X80X20.8mm	\$56.60	10pcs	\$52.40		220g/pcs 36pcs /CTN
SR-2422K4-G1-S4	DALI DT8& DT6 panel (SINGLE COLOR) (1) 4 keys DALI single color controller (2) Support DT6 device commands (3) Control 1 group (4) Operation voltage: provided by DALI bus (5) Can recall up to 4 scenes (6) Can set the controlled group/scene by rotary	\$48.00	10PCS	\$40.00		200g/pcs 36pcs /CTN
SR-2422K8-DIM-G4	DALI DT8& DT6 panel (SINGLE COLOR) 4 keys DALI single color controller • Support DT6 device commands • Control 1 group • Operation voltage: provided by DALI bus • Can save or recall 2 scenes • Can set the controlled group/scene by rotary	\$48.00	10PCS	\$40.00		200g/pcs 36pcs /CTN
SR-2422K8-G1-S8	DALI DT8& DT6 panel (SINGLE COLOR) (1)8 keys (2) Support DT6 device commands (3)Control 1 group (4)Operation voltage: provided by DALI bus (5)Can recall up to 8 scenes (5) Can set the controlled group/scene by rotary	\$48.00	10PCS	\$40.00		200g/pcs 36pcs /CTN
SR-2422NK2-DIM-G1	DALI DT8 single color control, powered by DALI bus, metal housing (1) 2 keys, control 1 group (2) Support DT6 device commands (3) Can set the controlled group by rotary switch	\$74.00	10Pcs	\$68.60		200g/pcs 36pcs /CTN
SR-2422NK4-DIM-G2	DALI DT8 single color control, powered by DALI bus, metal housing (1) 4 keys, control 2 group (2) Support DT6 device commands (3) Can set the controlled group by rotary switch	\$74.00	10Pcs	\$68.60		200g/pcs 36pcs /CTN
SR-2422NK4-G1-S4	DALI DT8 single color control, powered by DALI bus, metal housing (1) 4 keys, control 1 group, recall up to 4 scenes (2) Support DT6 device commands (3) Can set the controlled group/scene by rotary	\$74.00	10Pcs	\$68.60		200g/pcs 36pcs /CTN
SR-2422NK8-DIM-G4	DALI DT8 single color control, powered by DALI bus, metal housing (1) 8 keys, control 4 groups (2) Support DT6 device commands (3) Can set the controlled group by rotary switch	\$74.00	10Pcs	\$68.60		200g/pcs 36pcs /CTN
SR-2422NK8-DIM-G1-S4(DT8)	DALI DT8 single color control, powered by DALI bus, metal housing (1) 8 keys, control 1 group, save or recall up to 4 scenes (2) Support DT6 device commands (3) Can set the controlled group/scene by rotary	\$74.00	10Pcs	\$68.60		200g/pcs 36pcs /CTN
DALI DT8 Wall Panel						
SR-2300TR-CCT-EU(DT8)-AC	(1) DT8 version wall panel- CCT touch panel. (2) for CCT lighting control. 1 group control (3) powered by 100-240VAC, 100mA DALI bus built-in (4) touch panels, fixed brightness----25%.	\$64.00	10pcs	\$57.00		220g/pcs 36pcs /CTN

SR-2300TR-G4-CCT-EU(DT8)-AC	(1) DT8 version wall panel- CCT touch panel. (2) for CCT lighting control. 4 group control (3) powered by 100-240VAC, 100mA DALI bus built-in (4) touch panels, fixed brightness----75%	\$64.00	10pcs	\$57.00		220g/pcs 36pcs /CTN
SR-2300TR-G3-CCT-US(DT8)-AC	(1) DT8 version wall panel- CCT touch panel. (2) for CCT lighting control. 3 group control (3) powered by 100-240VAC, 100mA DALI bus built-in	\$64.00	10pcs	\$57.00		300g/pcs 37pcs/CTN
SR-2300TR-RGBW-EU(DT8)-AC	(1) DALI wall mounted touch controller for 1 group , DT8 RGBW (2) powered by 100-240VAC (3) 100mA DALI bus built-in	\$64.00	10pcs	\$57.00		220g/pcs 36pcs /CTN
SR-2300TR-G4-RGBW-EU(DT8)-AC	(1) DALI wall mounted touch controller for 4 groups , DT8 RGBW (2) powered by 100-240VAC (3) 100mA DALI bus built-in	\$64.00	10pcs	\$57.00		220g/pcs 36pcs /CTN
SR-2300TR-G3-RGBW-US(DT8)-AC	(1) DALI wall mounted touch controller DT8 RGBW control, 3 groups (2) powered by 100-240VAC (3) 100mA DALI bus built-in	\$64.00	10pcs	\$57.00		300g/pcs 37pcs/CTN
SR-2422K8-CCT-G1-S2(DT8)	(1) DT8 version wall panel (2) for WW+CW control (3) 8 buttons. (4) DALI bus powered , for 1 zone, save 2 scenes / colors	\$48.00	10PCS	\$40.00		200g/pcs 36pcs /CTN
SR-2422K8-RGBW-G1-S2(DT8)	(1) DT8 version wall panel (2) for RGBW control (3) 8 buttons. (4) DALI BUS powered , for 1 zone, save 2 scenes / colors	\$48.00	10PCS	\$40.00		200g/pcs 36pcs /CTN
SR-2422NK8-CCT-G1-S2(DT8)	DALI DT8 CCT color control, powered by DALI bus, metal housing (1) 8 keys, control 2 group, save 2 scenes/ colors (2) for WW+CW control	\$74.00	10Pcs	\$68.60		200g/pcs 36pcs /CTN
SR-2422NK8-RGBW-G1-S2(DT8)	DALI DT8 RGBW color control, powered by DALI bus, metal housing (1) 8 keys, control 1 group, save 2 scenes/ colors (2) for RGBW control	\$74.00	10Pcs	\$68.60		200g/pcs 36pcs /CTN
DALI-2 Wall Panel						
SR-2400R-DA2	DALI-2 rotary dimmer swich, powered by DALI bus	\$75.00	20Pcs	\$69.60		150g/pcs 36pcs /CTN
SR-2422K2-DA2	2 buttons DALI-2 Wall Panel (button's function set by DALI-2 master)	\$52.00	20Pcs	\$44.00		150g/pcs 36pcs /CTN
SR-2422K4-DA2	4 buttons DALI-2 Wall Panel (button's function set by DALI-2 master)	\$52.00	20Pcs	\$44.00		150g/pcs 36pcs /CTN
SR-2422K6-DA2	6 buttons DALI-2 Wall Panel (button's function set by DALI-2 master)	\$52.00	20Pcs	\$44.00		150g/pcs 36pcs /CTN
SR-2422K8-DA2	8 buttons DALI-2 Wall Panel (button's function set by DALI-2 master)	\$52.00	20Pcs	\$44.00		150g/pcs 36pcs /CTN
SR-2422NK2-DA2	2 buttons DALI-2 Wall Panel (button's function set by DALI-2 master)	\$75.00	20Pcs	\$69.60		150g/pcs 36pcs /CTN

SR-2422NK4-DA2	4 buttons DALI-2 Wall Panel (button's function set by DALI-2 master)	\$77.00	20Pcs	\$71.60		150g/pcs 36pcs /CTN
SR-2422NK8-DA2	8 buttons DALI-2 Wall Panel (button's function set by DALI-2 master)	\$77.00	20Pcs	\$71.60		150g/pcs 36pcs /CTN
SR-2422T2-DA2	2 touch buttons DALI-2 Wall Touch Panel (button's function set by DALI-2 master)	\$75.00	20Pcs	\$69.60		200g/pc 36pcs /CTN
SR-2422T4-DA2	4 touch buttons DALI-2 Wall Touch Panel (button's function set by DALI-2 master)	\$75.00	20Pcs	\$69.60		200g/pc 36pcs /CTN
SR-2422T6-DA2	6 touch buttons DALI-2 Wall Touch Panel (button's function set by DALI-2 master)	\$75.00	20Pcs	\$69.60		200g/pc 36pcs /CTN
SR-2422T8-DA2	8 touch buttons DALI-2 Wall Touch Panel (button's function set by DALI-2 master)	\$75.00	20Pcs	\$69.60		200g/pc 36pcs /CTN
SR-2422T6-DA2-US	6 touch buttons DALI-2 Wall Touch Panel- US size (button's function set by DALI-2 master)	\$75.00	20Pcs	\$69.60		200g/pc 36pcs /CTN
DALI-2 Push Button Coupler						
SR-DA2833P-DA2	DALI-2 push button coupler (4 buttons), connect dry-contact push buttons to use. DALI bus powered, no extra power supply required	\$49.00	20PCS	\$41.60		70g/pc 200pcs /CTN
DALI-2 Relay						
SR-2701S-DT7	(1) DALI-2 relay module (2) DALI bus powered (3) Only control ON/OFF	\$46.00	20PCS	\$39.00		80g/Pcs 200Pcs/CTN
SR-2701-DT7	4CH DIN RAIL DALI Relay Max.4X16A DALI address quantity can be set as 1/2/3/4 to control 4 relays separately or at the same time	\$83.00	10pcs	\$80.40		580g/pcs 20pcs /CTN
SR-2701DIN-DT7	<ul style="list-style-type: none"> • DALI-2 relay module with zero crossing detection max. 4*12A • DIN rail installation • 100-240VAC power supply • 4 channels relay module • 4 DALI addresses can be assigned by DALI master controller automatically 	\$62.40	10pcs	\$59.60		160g/pcs 46pcs /CTN
DALI-2 Sensor Coupler						
SR-DA2833MS-CP	DALI-2 Motion Sensor coupler, connect dry-contact (PIR or Microwave) sensor heads to use. DALI bus powered.	\$49.00	20PCS	\$41.60		70g/pc 200pcs /CTN
SR-DA2833DS-CP	DALI-2 Daylight Sensor coupler, connect dry-contact daylight sensor head to use. DALI bus powered.	\$49.00	20PCS	\$41.60		70g/pc 200pcs /CTN
DALI-2 Smart Sensor						
SR-DA9030A-MW	(1) Ceiling mounted microwave + daylight sensor (2) DALI 2 compliant (3) Input Voltage: 12/24/36 VDC (4) DALI dimming output	\$37.60	30pcs	US\$32.00		

SR-DA9030A-PIR	(1) Ceiling mounted PIR + daylight sensor (2) DALI 2 compliant (3) Input Voltage: powered by DALI bus (4) DALI dimming output (5) <u>Ceiling mounted installation</u>	\$37.60	30pcs	US\$32.00		
SR-DA9032A-MW	(1) Fixture-integrated microwave + daylight sensor (2) DALI 2 compliant (3) Input Voltage: 12/24/36 VDC (4) DALI dimming output (5) <u>Ceiling mounted installation</u>	\$37.60	30pcs	US\$32.00		
SR-DA9032A-PIR	(1) Fixture-integrated PIR + daylight sensor (2) DALI 2 compliant (3) Input Voltage: powered by DALI bus (4) DALI dimming output (5) Ceiling mounted installation (6) <u>Detection area up to 5m @ 2.5m</u>	\$37.60	30pcs	US\$32.00		
SR-DA9033A-MW	(1) Zhaga 18 socket IP67 microwave + daylight sensor, one microwave antenna (2) DALI 2 compliant (3) Input Voltage: 12/24/36 VDC (2) DALI 2 compliant (3) <u>Input Voltage: 12/24/36 VDC</u>	\$50.80	30pcs	US\$43.20		
SR-DA9031A-MW	(1) Zhaga 18 socket IP67 microwave + daylight sensor, with DUAL microwave antenna , longer detecting range. (2) DALI 2 compliant (3) Input Voltage: 12/24/36 VDC (2) DALI 2 compliant	\$55.00	30pcs	\$47.20		

Notice:

Warranty: 5-year warranty .

Price Term: EXW Shenzhen,China

Payment terms:T/T

Delivery time: 7-45 days

Price Validity:60 days

CE/RoHS/FCC available, OEM/ODM service available, we offer customized logo and model number silk print.

Pacakge: Nuetral white small box